



GLOBAL TRADE SOLUTIONS

Welded Carbon Steel Pipe / Dimensions and weights

Welded Carbon steel pipe/ tubes: According to DIN 2458

Staal Kwaliteit: op aanvraag

Lengte van de pijp: op aanvraag

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)				
10.2	1.4	0.304				
10.2	1.6	0.339				
10.2	1.8	0.373				
10.2	2.0	0.404				
10.2	2.3	0.448				
10.2	2.6	0.487				
13.2	1.4	0.418				
13.2	1.6	0.470				
13.2	1.8	0.519				
13.2	2.0	0.567				
13.2	2.3	0.635				
13.2	2.6	0.699				
13.2	2.9	0.758				
13.2	3.2	0.813				
13.2	3.6	0.879				
16.0	1.4	0.504				
16.0	1.6	0.568				
16.0	1.8	0.630				
16.0	2.0	0.691				
16.0	2.3	0.777				
16.0	2.6	0.859				
16.0	2.9	0.937				
16.0	3.2	1.010				
16.0	3.6	1.100				
17.2	1.4	0.560				
17.2	1.6	0.616				
17.2	1.8	0.684				
17.2	2.0	0.750				
17.2	2.3	0.845				
17.2	2.6	0.936				
17.2	2.9	1.020				
17.2	3.2	1.100				
17.2	3.6	1.210				
17.2	4.0	1.300				
19.0	1.4	0.608				
19.0	1.6	0.687				
19.0	2.0	0.838				
19.0	2.3	0.947				
19.0	2.6	1.050				

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)				
19.0	2.9	1.150				
19.0	3.2	1.250				
19.0	3.6	1.370				
19.0	4.0	1.480				
20.0	1.4	0.642				
20.0	1.6	0.726				
20.0	2.0	0.888				
20.0	2.3	1.000				
20.0	2.6	1.120				
20.0	2.9	1.220				
20.0	3.2	1.330				
20.0	3.6	1.460				
20.0	4.0	1.580				
21.3	1.4	0.687				
21.3	1.6	0.777				
21.3	2.0	0.952				
21.3	2.3	1.080				
21.3	2.6	1.200				
21.3	2.9	1.320				
21.3	3.2	1.430				
21.3	3.6	1.570				
21.3	4.0	1.710				
21.3	4.5	1.860				
25.0	1.4	0.815				
25.0	1.6	0.923				
25.0	1.8	1.030				
25.0	2.0	1.130				
25.0	2.3	1.290				
25.0	2.6	1.440				
25.0	2.9	1.580				
25.0	3.2	1.720				
25.0	3.6	1.900				
25.0	4.0	2.070				
25.0	4.5	2.280				
25.0	5.0	2.470				
25.4	1.4	0.829				
25.4	1.6	0.939				
25.4	1.8	1.050				
25.4	2.0	1.150				
25.4	2.3	1.310				
25.4	2.6	1.460				
25.4	2.9	1.610				
25.4	3.2	1.750				
25.4	3.6	1.940				
25.4	4.0	2.110				
25.4	4.5	2.320				
25.4	5.0	2.520				
26.9	1.4	0.880				
26.9	1.6	0.998				
26.9	1.8	1.110				
26.9	2.0	1.230				

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
26.9	2.3	1.400
26.9	2.6	1.560
26.9	2.9	1.720
26.9	3.2	1.870
26.9	3.6	2.070
26.9	4.0	2.260
26.9	4.5	2.490
26.9	5.0	2.700
30.0	1.4	0.987
30.0	1.6	1.120
30.0	1.8	1.250
30.0	2.0	1.380
30.0	2.3	1.570
30.0	2.6	1.760
30.0	2.9	1.940
30.0	3.2	2.110
30.0	3.6	2.340
30.0	4.0	2.560
30.0	4.5	2.830
30.0	5.0	3.080
30.0	5.6	3.370
30.0	6.3	3.680
31.8	1.4	1.050
31.8	1.6	1.190
31.8	1.8	1.330
31.8	2.0	1.470
31.8	2.3	1.670
31.8	2.6	1.870
31.8	2.9	2.070
31.8	3.2	2.260
31.8	3.6	2.500
31.8	4.0	2.740
31.8	4.5	3.030
31.8	5.0	3.300
31.8	5.6	3.620
31.8	6.3	3.960
31.8	7.1	4.320
33.7	1.4	1.780
33.7	1.6	1.780
33.7	1.8	1.420
33.7	2.0	1.560
33.7	2.3	1.780
33.7	2.6	1.990
33.7	2.9	2.200
33.7	3.2	2.410
33.7	3.6	2.670
33.7	4.0	2.930
33.7	4.5	3.240
33.7	5.0	3.540
33.7	5.6	3.880
33.7	6.3	4.260

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
33.7	7.1	4.660
33.7	8.0	5.070
38.0	1.4	1.260
38.0	1.6	1.440
38.0	1.8	1.610
38.0	2.0	1.780
38.0	2.3	2.020
38.0	2.6	2.270
38.0	2.9	2.510
38.0	3.2	2.750
38.0	3.6	3.050
38.0	4.0	3.350
38.0	4.5	3.720
38.0	5.0	4.070
38.0	5.6	4.470
38.0	6.3	4.930
38.0	7.1	5.410
38.0	8.0	5.920
38.0	8.8	6.340
42.4	1.4	1.420
42.4	1.6	1.610
42.4	1.8	1.800
42.4	2.0	1.990
42.4	1.3	2.270
42.4	2.6	2.560
42.4	2.9	2.820
42.4	3.2	3.090
42.4	3.6	3.440
42.4	4.0	3.790
42.4	4.5	4.210
42.4	5.0	4.610
42.4	5.6	5.080
42.4	6.3	5.610
42.4	7.1	6.180
42.4	8.0	6.790
42.4	8.8	7.290
44.5	1.4	1.490
44.5	1.6	1.690
44.5	1.8	1.900
44.5	2.0	2.100
44.5	2.3	2.390
44.5	2.6	2.690
44.5	2.9	2.980
44.5	3.2	3.260
44.5	3.6	3.630
44.5	4.0	4.000
44.5	4.5	4.440
44.5	5.0	4.870
44.5	5.6	5.370
44.5	6.3	5.940
44.5	7.1	6.550

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)			
44.5	8.0	7.200			
44.5	8.8	7.750			
48.3	1.4	1.620			
48.3	1.6	1.840			
48.3	1.8	2.060			
48.3	2.0	2.280			
48.3	2.3	2.610			
48.3	2.6	2.930			
48.3	2.9	3.250			
48.3	3.2	3.560			
48.3	3.6	3.970			
48.3	4.0	4.370			
48.3	4.5	4.860			
48.3	5.0	5.340			
48.3	5.6	5.900			
48.3	6.3	6.530			
48.3	7.1	7.210			
48.3	8.0	7.950			
48.3	8.8	8.570			
51.0	1.4	1.710			
51.0	1.6	1.950			
51.0	1.8	2.180			
51.0	2.0	2.420			
51.0	2.3	2.760			
51.0	2.6	3.100			
51.0	2.9	3.440			
51.0	3.2	3.770			
51.0	3.6	4.210			
51.0	4.0	4.640			
51.0	4.5	5.160			
51.0	5.0	5.670			
51.0	5.6	6.270			
51.0	6.3	6.940			
51.0	7.1	7.690			
51.0	8.0	8.480			
51.0	8.8	9.160			
54.0	1.4	1.820			
54.0	1.6	2.070			
54.0	1.8	2.320			
54.0	2.0	2.560			
54.0	2.3	2.930			
54.0	2.6	3.300			
54.0	2.9	3.650			
54.0	3.2	4.010			
54.0	3.6	4.470			
54.0	4.0	4.930			
54.0	4.5	5.490			
54.0	5.0	6.040			
54.0	5.6	6.680			
54.0	6.3	7.410			
54.0	7.1	8.210			

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
54.0	8.0	9.080
54.0	8.8	9.810
54.0	10.0	10.900
57.0	1.4	1.920
57.0	1.6	2.190
57.0	1.8	2.450
57.0	2.0	2.710
57.0	2.3	3.100
57.0	2.6	3.490
57.0	2.9	3.870
57.0	3.2	4.250
57.0	3.6	4.740
57.0	4.0	5.230
57.0	4.5	5.830
57.0	5.0	6.410
57.0	5.6	7.100
57.0	6.3	7.880
57.0	7.1	8.740
57.0	8.0	9.670
57.0	8.8	10.500
57.0	10.0	11.600
60.3	1.4	2.030
60.3	1.6	2.320
60.3	1.8	2.600
60.3	2.0	2.880
60.3	2.3	3.290
60.3	2.6	3.700
60.3	2.9	4.110
60.3	3.2	4.510
60.3	3.6	5.030
60.3	4.0	5.550
60.3	4.5	6.190
60.3	5.0	6.820
60.3	5.6	7.550
60.3	6.3	8.390
60.3	7.1	9.320
60.3	8.0	10.300
60.3	8.8	11.200
60.3	10.0	12.400
63.5	1.6	2.440
63.5	1.8	2.740
63.5	2.0	3.030
63.5	2.3	3.470
63.5	2.6	3.900
63.5	2.9	4.330
63.5	3.2	4.760
63.5	3.6	5.320
63.5	4.0	5.870
63.5	4.5	6.560
63.5	5.0	7.210
63.5	5.6	8.000

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
63.5	6.3	8.890
63.5	7.1	9.880
63.5	8.0	10.900
63.5	8.8	11.900
63.5	10.0	13.200
70.0	1.6	2.700
70.0	1.8	3.030
70.0	2.0	3.350
70.0	2.3	3.840
70.0	2.6	4.320
70.0	2.9	4.800
70.0	3.2	5.270
70.0	3.6	5.900
70.0	4.0	6.510
70.0	4.5	7.270
70.0	5.0	8.010
70.0	5.6	8.890
70.0	6.3	9.900
70.0	7.1	11.000
70.0	8.0	12.200
70.0	8.8	13.300
70.0	10.0	14.800
73.0	1.6	2.820
73.0	1.8	3.160
73.0	2.0	3.500
73.0	2.3	4.010
73.0	2.6	4.510
73.0	2.9	5.010
73.0	3.2	5.510
73.0	3.6	6.160
73.0	4.0	6.810
73.0	4.5	7.600
73.0	5.0	8.380
73.0	5.6	9.310
73.0	6.3	10.400
73.0	7.1	11.500
73.0	8.0	12.800
73.0	8.8	13.900
73.0	10.0	15.500
76.1	1.6	2.940
76.1	1.8	3.300
76.1	2.0	3.650
76.1	2.3	4.190
76.1	2.6	4.710
76.1	2.9	5.240
76.1	3.2	5.750
76.1	3.6	6.440
76.1	4.0	7.110
76.1	4.5	7.950
76.1	5.0	8.770
76.1	5.6	9.740

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
76.1	6.3	10.800
76.1	7.1	12.100
76.1	8.0	13.400
76.1	8.8	14.600
76.1	10.0	16.300
82.5	1.6	3.190
82.5	1.8	3.580
82.5	2.0	3.970
82.5	2.3	4.550
82.5	2.6	5.120
82.5	2.9	5.690
82.5	3.2	6.260
82.5	3.6	7.000
82.5	4.0	7.740
82.5	4.5	8.660
82.5	5.0	9.560
82.5	5.6	10.600
82.5	6.3	11.800
82.5	7.1	13.200
82.5	8.0	14.700
82.5	8.8	16.000
82.5	10.0	17.900
88.9	1.6	3.440
88.9	1.8	3.870
88.9	2.0	4.290
88.9	2.3	4.910
88.9	2.6	5.530
88.9	2.9	6.150
88.9	3.2	6.760
88.9	3.6	7.570
88.9	4.0	8.380
88.9	4.5	9.370
88.9	5.0	10.300
88.9	5.6	11.500
88.9	6.3	12.800
88.9	7.1	14.300
88.9	8.0	16.000
88.9	8.8	17.400
88.9	10.0	19.500
101.6	2.0	4.910
101.6	2.3	5.630
101.6	2.6	6.350
101.6	2.9	7.060
101.6	3.2	7.770
101.6	3.6	8.700
101.6	4.0	9.630
101.6	4.5	10.800
101.6	5.0	11.900
101.6	5.6	13.300
101.6	6.3	14.800
101.6	7.1	16.500

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)				
101.6	8.0	18.500				
101.6	8.8	20.100				
101.6	10.0	22.600				
108.0	2.0	5.230				
108.0	2.3	6.000				
108.0	2.6	6.760				
108.0	2.9	7.520				
108.0	3.2	8.270				
108.0	3.6	9.270				
108.0	4.0	10.300				
108.0	4.5	11.500				
108.0	5.0	12.700				
108.0	5.6	14.100				
108.0	6.3	15.800				
108.0	7.1	17.700				
108.0	8.0	19.700				
108.0	8.8	21.500				
108.0	10.0	24.200				
108.0	11.0	26.300				
114.3	2.0	5.540				
114.3	2.3	6.350				
114.3	2.6	7.160				
114.3	2.9	7.970				
114.3	3.2	8.770				
114.3	3.6	9.830				
114.3	4.0	10.900				
114.3	4.5	12.200				
114.3	5.0	13.500				
114.3	5.6	15.000				
114.3	6.3	16.800				
114.3	7.1	18.800				
114.3	8.0	21.000				
114.3	8.8	22.900				
114.3	10.0	25.700				
114.3	11.0	28.000				
127.0	2.0	6.170				
127.0	2.3	7.070				
127.0	2.6	7.980				
127.0	2.9	8.880				
127.0	3.2	9.770				
127.0	3.6	11.000				
127.0	4.0	12.100				
127.0	4.5	13.600				
127.0	5.0	15.000				
127.0	5.6	16.800				
127.0	6.3	18.800				
127.0	7.1	21.000				
127.0	8.0	23.500				
127.0	8.8	25.700				
127.0	10.0	28.900				
127.0	11.0	31.500				

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
133.0	2.0	6.460
133.0	2.3	7.410
133.0	2.6	8.360
133.0	2.9	9.300
133.0	3.2	10.200
133.0	3.6	11.500
133.0	4.0	12.700
133.0	4.5	14.300
133.0	5.0	15.800
133.0	5.6	17.600
133.0	6.3	19.700
133.0	7.1	22.000
133.0	8.0	24.700
133.0	8.8	27.000
133.0	10.0	30.300
133.0	11.0	33.100
139.7	2.0	6.790
139.7	2.3	7.790
139.7	2.6	8.790
139.7	2.9	9.780
139.7	3.2	10.800
139.7	3.6	12.100
139.7	4.0	13.400
139.7	4.5	15.000
139.7	5.0	16.600
139.7	5.6	18.500
139.7	6.3	20.700
139.7	7.1	23.200
139.7	8.0	26.000
139.7	8.8	28.400
139.7	10.0	32.000
139.7	11.0	34.900
152.4	2.0	7.420
152.4	2.3	8.510
152.4	2.6	9.610
152.4	2.9	10.700
152.4	3.2	11.800
152.4	3.6	13.200
152.4	4.0	15.300
152.4	4.5	16.400
152.4	5.0	18.200
152.4	5.6	20.300
152.4	6.3	22.700
152.4	7.1	25.400
152.4	8.0	28.500
152.4	8.8	31.200
152.4	10.0	35.100
152.4	11.0	38.400
159.0	2.0	7.740
159.0	2.3	8.890
159.0	2.6	10.000

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)				
159.0	2.9	11.200				
159.0	3.2	12.300				
159.0	3.6	13.800				
159.0	4.0	15.300				
159.0	4.5	17.100				
159.0	5.0	19.000				
159.0	5.6	21.200				
159.0	6.3	23.700				
159.0	7.1	26.600				
159.0	8.0	29.800				
159.0	8.8	32.600				
159.0	10.0	36.700				
159.0	11.0	40.100				
168.3	2.9	11.800				
168.3	3.2	13.000				
168.3	3.6	14.600				
168.3	4.0	16.200				
168.3	4.5	18.200				
168.3	5.0	20.100				
168.3	5.6	22.500				
168.3	6.3	25.200				
168.3	7.1	28.200				
168.3	8.0	31.600				
168.3	8.8	34.600				
168.3	10.0	39.000				
168.3	11.0	42.700				
177.8	2.9	12.500				
177.8	3.2	13.800				
177.8	3.6	15.500				
177.8	4.0	17.100				
177.8	4.5	19.200				
177.8	5.0	21.300				
177.8	5.6	23.800				
177.8	6.3	26.600				
177.8	7.1	29.900				
177.8	8.0	33.500				
177.8	8.8	36.700				
177.8	10.0	41.400				
177.8	11.0	45.200				
193.7	2.9	13.600				
193.7	3.2	15.000				
193.7	3.6	16.900				
193.7	4.0	18.700				
193.7	4.5	21.000				
193.7	5.0	23.300				
193.7	5.6	26.000				
193.7	6.3	29.100				
193.7	7.1	32.700				
193.7	8.0	36.600				
193.7	8.8	40.100				
193.7	10.0	45.300				

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
193.7	11.0	49.600
219.1	3.2	17.000
219.1	3.6	19.100
219.1	4.0	21.200
219.1	4.5	23.800
219.1	5.0	26.400
219.1	5.6	29.500
219.1	6.3	33.100
219.1	7.1	37.100
219.1	8.0	41.600
219.1	8.8	45.600
219.1	10.0	51.600
219.1	11.0	56.500
219.1	12.5	63.700
244.5	3.2	19.000
244.5	3.6	21.400
244.5	4.0	23.700
244.5	4.5	26.600
244.5	5.0	29.500
244.5	5.6	33.000
244.5	6.3	37.000
244.5	7.1	41.600
244.5	8.0	46.700
244.5	8.8	51.200
244.5	10.0	57.800
244.5	11.0	63.300
244.5	12.5	71.500
273.0	3.2	21.300
273.0	3.6	23.900
273.0	4.0	26.500
273.0	4.5	29.800
273.0	5.0	33.000
273.0	5.6	36.900
273.0	6.3	41.400
273.0	7.1	46.600
273.0	8.0	52.300
273.0	8.8	57.300
273.0	10.0	64.900
273.0	11.0	71.100
273.0	12.5	80.300
323.9	3.2	25.300
323.9	3.6	28.400
323.9	4.0	31.600
323.9	4.5	35.400
323.9	5.0	39.300
323.9	5.6	44.000
323.9	6.3	49.300
323.9	7.1	55.500
323.9	8.0	62.300
323.9	8.8	68.400
323.9	10.0	77.400

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
323.9	11.0	84.900
323.9	12.5	96.000
355.6	3.2	27.800
355.6	3.6	31.300
355.6	4.0	34.700
355.6	4.5	39.000
355.6	5.0	43.200
355.6	5.6	48.300
355.6	6.3	54.300
355.6	7.1	61.000
355.6	8.0	68.600
355.6	8.8	75.300
355.6	10.0	85.200
355.6	11.0	93.500
355.6	12.5	106.000
406.4	3.6	35.800
406.4	4.0	39.700
406.4	4.5	44.600
406.4	5.0	49.500
406.4	5.6	55.400
406.4	6.3	62.200
406.4	7.1	69.900
406.4	8.0	78.600
406.4	8.8	86.300
406.4	10.0	97.800
406.4	11.0	107.000
406.4	12.5	121.000
457.0	3.6	40.300
457.0	4.0	44.700
457.0	4.5	50.200
457.0	5.0	55.700
457.0	5.6	62.300
457.0	6.3	70.000
457.0	7.1	78.800
457.0	8.0	88.600
457.0	8.8	97.300
457.0	10.0	110.000
457.0	11.0	121.000
508.0	3.6	44.800
508.0	4.0	49.500
508.0	4.5	55.900
508.0	5.0	62.000
508.0	5.6	69.400
508.0	6.3	77.900
508.0	7.1	87.700
508.0	8.0	98.600
508.0	8.8	108.000
508.0	10.0	123.000
508.0	11.0	135.000
508.0	12.5	153.000
508.0	14.2	173.000

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)
508.0	16.0	194.000
559.0	4.5	61.500
559.0	5.0	68.300
559.0	5.6	76.400
559.0	6.3	85.900
559.0	7.1	96.600
559.0	8.0	109.000
559.0	8.8	119.000
559.0	10.0	135.000
559.0	11.0	149.000
559.0	12.5	168.000
559.0	14.2	191.000
559.0	16.0	214.000
559.0	17.5	234.000
559.0	20.0	266.000
610.0	4.5	67.200
610.0	5.0	74.600
610.0	5.6	83.500
610.0	6.3	93.800
610.0	7.1	106.000
610.0	8.0	119.000
610.0	8.8	130.000
610.0	10.0	148.000
610.0	11.0	162.000
610.0	12.5	184.000
610.0	14.2	209.000
610.0	16.0	234.000
610.0	17.5	256.000
610.0	20.0	291.000
610.0	22.2	322.000
610.0	25.0	361.000
610.0	28.0	402.000
660.0	4.5	72.700
660.0	5.0	80.800
660.0	5.6	90.400
660.0	6.3	102.000
660.0	7.1	114.000
660.0	8.0	129.000
660.0	8.8	141.000
660.0	10.0	160.000
660.0	11.0	176.000
660.0	12.5	200.000
660.0	14.2	226.000
660.0	16.0	254.000
660.0	17.5	277.000
660.0	20.0	316.000
660.0	22.2	349.000
660.0	25.0	392.000
660.0	28.0	436.000
660.0	30.0	466.000

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)			
711.0	4.5	78.400			
711.0	5.0	87.100			
711.0	5.6	97.400			
711.0	6.3	109.000			
711.0	7.1	123.000			
711.0	8.0	139.000			
711.0	8.8	152.000			
711.0	10.0	173.000			
711.0	11.0	190.000			
711.0	12.5	215.000			
711.0	14.2	244.000			
711.0	16.0	274.000			
711.0	17.5	299.000			
711.0	20.0	341.000			
711.0	22.2	377.000			
711.0	25.0	423.000			
711.0	28.0	472.000			
711.0	30.0	504.000			
711.0	32.0	536.000			
762.0	4.5	84.100			
762.0	5.0	93.300			
762.0	5.6	104.000			
762.0	6.3	117.000			
762.0	7.1	132.000			
762.0	8.0	149.000			
762.0	8.8	163.000			
762.0	10.0	185.000			
762.0	11.0	204.000			
762.0	12.5	231.000			
762.0	14.2	262.000			
762.0	16.0	294.000			
762.0	17.5	321.000			
762.0	20.0	366.000			
762.0	22.2	405.000			
762.0	25.0	454.000			
762.0	28.0	507.000			
762.0	30.0	542.000			
762.0	32.0	576.000			
762.0	36.0	645.000			
813.0	4.5	89.700			
813.0	5.0	99.600			
813.0	5.6	112.000			
813.0	6.3	125.000			
813.0	7.1	141.000			
813.0	8.0	159.000			
813.0	8.8	175.000			
813.0	10.0	198.000			
813.0	11.0	218.000			
813.0	12.5	247.000			
813.0	14.2	280.000			
813.0	16.0	314.000			

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)			
813.0	17.5	343.000			
813.0	20.0	391.000			
813.0	22.2	433.000			
813.0	25.0	486.000			
813.0	28.0	542.000			
813.0	30.0	579.000			
813.0	32.0	616.000			
813.0	36.0	690.000			
813.0	40.0	763.000			
864.0	4.5	95.400			
864.0	5.0	106.000			
864.0	5.6	119.000			
864.0	6.3	133.000			
864.0	7.1	150.000			
864.0	8.0	169.000			
864.0	8.8	186.000			
864.0	10.0	211.000			
864.0	11.0	231.000			
864.0	12.5	262.000			
864.0	14.2	298.000			
864.0	16.0	335.000			
864.0	17.5	365.000			
864.0	20.0	416.000			
864.0	22.2	461.000			
864.0	25.0	517.000			
864.0	28.0	577.000			
864.0	30.0	617.000			
864.0	32.0	657.000			
864.0	36.0	735.000			
864.0	40.0	813.000			
914.0	4.5	101.000			
914.0	5.0	112.000			
914.0	5.6	125.000			
914.0	6.3	141.000			
914.0	7.1	159.000			
914.0	8.0	179.000			
914.0	8.8	196.000			
914.0	10.0	223.000			
914.0	11.0	245.000			
914.0	12.5	278.000			
914.0	14.2	315.000			
914.0	16.0	354.000			
914.0	17.5	387.000			
914.0	20.0	441.000			
914.0	22.2	488.000			
914.0	25.0	548.000			
914.0	28.0	612.000			
914.0	30.0	654.000			
914.0	32.0	696.000			
914.0	36.0	780.000			
914.0	40.0	862.000			

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)			
1016.0	4.5	112.000			
1016.0	5.0	125.000			
1016.0	5.6	140.000			
1016.0	6.3	157.000			
1016.0	7.1	177.000			
1016.0	8.0	199.000			
1016.0	8.8	219.000			
1016.0	10.0	248.000			
1016.0	11.0	273.000			
1016.0	12.5	309.000			
1016.0	14.2	351.000			
1016.0	16.0	395.000			
1016.0	17.5	431.000			
1016.0	20.0	491.000			
1016.0	22.2	544.000			
1016.0	25.0	611.000			
1016.0	28.0	682.000			
1016.0	30.0	729.000			
1016.0	32.0	777.000			
1016.0	36.0	870.000			
1016.0	40.0	963.000			
1220.0	5.6	168.000			
1220.0	6.3	189.000			
1220.0	7.1	212.000			
1220.0	8.0	239.000			
1220.0	8.8	263.000			
1220.0	10.0	298.000			
1220.0	11.0	328.000			
1220.0	12.5	372.000			
1220.0	14.2	422.000			
1220.0	16.0	475.000			
1220.0	17.5	519.000			
1220.0	20.0	592.000			
1220.0	22.2	656.000			
1220.0	25.0	737.000			
1220.0	28.0	823.000			
1220.0	30.0	880.000			
1220.0	32.0	938.000			
1220.0	36.0	1051.000			
1220.0	40.0	1164.000			
1420.0	6.3	220.000			
1420.0	7.1	247.000			
1420.0	8.0	279.000			
1420.0	8.8	306.000			
1420.0	10.0	348.000			
1420.0	11.0	382.000			
1420.0	12.5	434.000			
1420.0	14.2	492.000			
1420.0	16.0	554.000			
1420.0	17.5	605.000			
1420.0	20.0	691.000			

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)			
1420.0	22.2	765.000			
1420.0	25.0	860.000			
1420.0	28.0	961.000			
1420.0	30.0	1028.000			
1420.0	32.0	1095.000			
1420.0	36.0	1229.000			
1420.0	40.0	1361.000			
1620.0	7.1	282.000			
1620.0	8.0	318.000			
1620.0	8.8	350.000			
1620.0	10.0	397.000			
1620.0	11.0	436.000			
1620.0	12.5	496.000			
1620.0	14.2	562.000			
1620.0	16.0	633.000			
1620.0	17.5	692.000			
1620.0	20.0	789.000			
1620.0	22.2	875.000			
1620.0	25.0	983.000			
1620.0	28.0	1099.000			
1620.0	30.0	1176.000			
1620.0	32.0	1253.000			
1620.0	36.0	1406.000			
1620.0	40.0	1559.000			
1820.0	8.8	393.000			
1820.0	10.0	446.000			
1820.0	11.0	491.000			
1820.0	12.5	557.000			
1820.0	14.2	632.000			
1820.0	16.0	712.000			
1820.0	17.5	778.000			
1820.0	20.0	888.000			
1820.0	22.2	984.000			
1820.0	25.0	1107.000			
1820.0	28.0	1237.000			
1820.0	30.0	1324.000			
1820.0	32.0	1411.000			
1820.0	36.0	1584.000			
1820.0	40.0	1756.000			
2020.0	10.0	496.000			
2020.0	11.0	545.000			
2020.0	12.5	619.000			
2020.0	14.2	702.000			
2020.0	16.0	791.000			
2020.0	17.5	864.000			
2020.0	20.0	966.000			
2020.0	22.2	1094.000			
2020.0	25.0	1230.000			
2020.0	28.0	1376.000			
2020.0	30.0	1472.000			
2020.0	32.0	1569.000			

Outside Diameter (mm)	Wall thickness (mm)	Weight per meter (kg)				
2020.0	36.0	1761.000				
2020.0	40.0	1963.000				
2220.0	10.0	545.000				
2220.0	11.0	599.000				
2220.0	12.5	681.000				
2220.0	14.2	772.000				
2220.0	16.0	870.000				
2220.0	17.5	951.000				
2220.0	20.0	1085.000				
2220.0	22.2	1203.000				
2220.0	25.0	1353.000				
2220.0	28.0	1514.000				
2220.0	30.0	1620.000				
2220.0	32.0	1727.000				
2220.0	36.0	1939.000				
2220.0	40.0	2150.000				